



The Cooling Tower Company, L.C.



Series TCIACooling Towers



The Cooling Tower Company, L.C.

South West Office: 713.344.0777 - <http://www.ctowers.com> - South East Office: 727.812.7610

Your Local Source For World Class Cooling Technology

Series TCIA Cooling Towers

Features

Site Considerations


High Efficiency Fans

- Aluminum Blades
- Gear Drives
- Power Belt Drive




Distribution System

- 2:1 Turn Down
- Low ΔP Head
- Side Inlet
- Bottom Inlet



Fill and Drift Eliminator

- High Efficiency Fill
- Easily Inspected
- Large Access Doors
- 0.001% - 0.002% Drift



Cellular Inlet Louvers

- Minimize Sunlight
- Minimize splash-out



Stainless Steel Welded Basin

- Leak Tested At Factory
- 5 Year Leak Free Warranty
- Sloped For Proper Drainage



Materials Of Construction

- | | |
|-----------|-----------------------------|
| Basin | Stainless Steel |
| Structure | Stainless Steel- Galvanized |
| Casing | Stainless Steel- Galvanized |



Accessories

- Osha Cage and Handrail
- Vibration Switch
- Basin Heater
- Brass Fill Valve
- Equipment Davit
- Tower Water Filtration System

Standard Designs Fit Most Applications

- Front or Bottom Inlet and Outlet Connection Available
- Balancing Line Available on All TCIA Towers
- Pipe Flange Connections Standard on All TCIA Towers
- 1 cell 2 cell 3 cell and 2 cell Long Side Arrangements




Custom Designs For Difficult Site Requirements


- Arrangements Over In-Ground Concrete Basins
- Bottom Inlet and Outlet
- Match Existing Steel On Retrofit Applications
- Modular Designs For Custom Installations
- One Basin on 2 and 3 Cell Towers
- Common Outlet on Multi Cell Towers



The Cooling Tower Company, L.C.

South West Office: 713.344.0777 - <http://www.ctowers.com> - South East Office: 727.812.7610



DRAWN	DESIGNER
	DATE 1/3/2015
Number of Sheets 1 of 1	 The Cooling Tower Company, LLC <small>3380 South MacGregor Way, 424, Houston, TX 77021 http://www.ctowers.com</small>

TCIA TOWER LINE DIMENSIONS

THE COOLING TOWER COMPANY

<http://www.ctowers.com>
designer@ctowers.com

PART NUMBER

TCIA-MODEL-LINE-1-2-3-CELL

REV

1

THE DESIGN IS THE PROPERTY OF THE COOLING TOWER COMPANY, L.C. AND IS LOANED FOR MUTUAL ASSISTANCE. IT IS NOT TO BE FORWARDED NOR REPRINTED IN ANY FORM WITHOUT A WRITTEN PERMISSION.

Model Number	HP/Cell	L	W	H	C	D	A diam	B diam	Dry Weight (lbs)	OP Weight (lbs)
TCIA-0404-1-1	1	4'-5 3/8 "	4'-5 3/8 "	11'-4"	4'-3 1/8 "	2'-5 3/8 "	3	4	1136	1552
TCIA-0404-2-1	2	4'-5 3/8 "	4'-5 3/8 "	11'-4"	4'-3 1/8 "	2'-5 3/8 "	3	4	1136	1552
TCIA-0404-3-1	3	4'-5 3/8 "	4'-5 3/8 "	11'-10"	4'-3 1/8 "	2'-5 3/8 "	3	4	1136	1552
TCIA-0404-5-1	5	4'-5 3/8 "	4'-5 3/8 "	11'-10"	4'-3 1/8 "	2'-5 3/8 "	3	4	1136	1552
TCIA-0606-3-1	3	6'-5 5/8 "	6'-5 5/8 "	11'-10"	6'-3 3/8 "	4'-5 5/8 "	6	6	2556	3492
TCIA-0606-5-1	5	6'-5 5/8 "	6'-5 5/8 "	11'-10"	6'-3 3/8 "	4'-5 5/8 "	6	6	2556	3492
TCIA-0606-7.5-1	7.5	6'-5 5/8 "	6'-5 5/8 "	11'-10"	6'-3 3/8 "	4'-5 5/8 "	6	6	2556	3492
TCIA-0606-10-1	10	6'-5 5/8 "	6'-5 5/8 "	12'-4"	6'-3 3/8 "	4'-5 5/8 "	6	6	2556	3492
TCIA-0806-5-1	5	8'-5 7/8 "	6'-5 5/8 "	11'-10"	8'-3 5/8 "	4'-5 5/8 "	8	8	3408	4656
TCIA-0806-7.5-1	7.5	8'-5 7/8 "	6'-5 5/8 "	12'-4"	8'-3 5/8 "	4'-5 5/8 "	8	8	3408	4656
TCIA-0806-10-1	10	8'-5 7/8 "	6'-5 5/8 "	12'-4"	8'-3 5/8 "	4'-5 5/8 "	8	8	3408	4656
TCIA-0806-15-1	15	8'-5 7/8 "	6'-5 5/8 "	12'-4"	8'-3 5/8 "	4'-5 5/8 "	8	8	3408	4656
TCIA-0808-5-1	5	8'-5 7/8 "	8'-5 7/8 "	11'-10"	8'-3 5/8 "	6'-5 7/8 "	8	8	4544	6208
TCIA-0808-7.5-1	7.5	8'-5 7/8 "	8'-5 7/8 "	12'-4"	8'-3 5/8 "	6'-5 7/8 "	8	8	4544	6208
TCIA-0808-10-1	10	8'-5 7/8 "	8'-5 7/8 "	12'-4"	8'-3 5/8 "	6'-5 7/8 "	8	8	4544	6208
TCIA-0808-15-1	15	8'-5 7/8 "	8'-5 7/8 "	12'-10"	8'-3 5/8 "	6'-5 7/8 "	8	8	4544	6208
TCIA-0808-20-1	20	8'-5 7/8 "	8'-5 7/8 "	12'-10"	8'-3 5/8 "	6'-5 7/8 "	8	8	4544	6208
TCIA-0810-5-1	5	8'-5 7/8 "	10'-6 1/8 "	12'-4"	8'-3 5/8 "	8'-6 1/8 "	8	8	5680	7760
TCIA-0810-7.5-1	7.5	8'-5 7/8 "	10'-6 1/8 "	12'-4"	8'-3 5/8 "	8'-6 1/8 "	8	8	5680	7760
TCIA-0810-10-1	10	8'-5 7/8 "	10'-6 1/8 "	12'-4"	8'-3 5/8 "	8'-6 1/8 "	8	8	5680	7760
TCIA-0810-15-1	15	8'-5 7/8 "	10'-6 1/8 "	12'-10"	8'-3 5/8 "	8'-6 1/8 "	8	8	5680	7760
TCIA-0810-20-1	20	8'-5 7/8 "	10'-6 1/8 "	12'-10"	8'-3 5/8 "	8'-6 1/8 "	8	8	5680	7760
TCIA-0810-25-1	25	8'-5 7/8 "	10'-6 1/8 "	12'-10"	8'-3 5/8 "	8'-6 1/8 "	8	8	5680	7760
TCIA-0812-7.5-1	7.5	8'-5 7/8 "	12'-6 3/8 "	12'-10"	8'-3 5/8 "	10'-6 3/8 "	8	8	6816	9312
TCIA-0812-10-1	10	8'-5 7/8 "	12'-6 3/8 "	12'-10"	8'-3 5/8 "	10'-6 3/8 "	8	8	6816	9312
TCIA-0812-15-1	15	8'-5 7/8 "	12'-6 3/8 "	13'-4"	8'-3 5/8 "	10'-6 3/8 "	8	8	6816	9312
TCIA-0812-20-1	20	8'-5 7/8 "	12'-6 3/8 "	13'-4"	8'-3 5/8 "	10'-6 3/8 "	8	8	6816	9312
TCIA-0812-25-1	25	8'-5 7/8 "	12'-6 3/8 "	13'-4"	8'-3 5/8 "	10'-6 3/8 "	8	8	6816	9312
TCIA-0812-30-1	30	8'-5 7/8 "	12'-6 3/8 "	13'-10"	8'-3 5/8 "	10'-6 3/8 "	8	8	6816	9312
TCIA-0814-10-1	10	8'-5 7/8 "	14'-6 5/8 "	13'-10"	8'-3 5/8 "	12'-6 5/8 "	8	8	7952	10864
TCIA-0814-15-1	15	8'-5 7/8 "	14'-6 5/8 "	13'-10"	8'-3 5/8 "	12'-6 5/8 "	8	8	7952	10864
TCIA-0814-20-1	20	8'-5 7/8 "	14'-6 5/8 "	14'-4"	8'-3 5/8 "	12'-6 5/8 "	8	8	7952	10864
TCIA-0814-25-1	25	8'-5 7/8 "	14'-6 5/8 "	14'-4"	8'-3 5/8 "	12'-6 5/8 "	8	8	7952	10864
TCIA-0814-30-1	30	8'-5 7/8 "	14'-6 5/8 "	14'-10"	8'-3 5/8 "	12'-6 5/8 "	8	8	7952	10864

Model Number	HP/Cell	L	W	H	C	D	A diam	B diam	Dry Weight (lbs)	OP Weight (lbs)
TCIA-1106-5-1	5	11'-6 1/4 "	6'-5 5/8 "	13'-4"	11'-4"	4'-5 5/8 "	8	8	4686	6402
TCIA-1106-7.5-1	7.5	11'-6 1/4 "	6'-5 5/8 "	13'-4"	11'-4"	4'-5 5/8 "	8	8	4686	6402
TCIA-1106-10-1	10	11'-6 1/4 "	6'-5 5/8 "	13'-10"	11'-4"	4'-5 5/8 "	8	8	4686	6402
TCIA-1106-15-1	15	11'-6 1/4 "	6'-5 5/8 "	13'-10"	11'-4"	4'-5 5/8 "	8	8	4686	6402
TCIA-1106-20-1	20	11'-6 1/4 "	6'-5 5/8 "	14'-4"	11'-4"	4'-5 5/8 "	8	8	4686	6402
TCIA-1108-5-1	5	11'-6 1/4 "	8'-5 7/8 "	12'-10"	11'-4"	6'-5 7/8 "	8	8	6248	8536
TCIA-1108-7.5-1	7.5	11'-6 1/4 "	8'-5 7/8 "	12'-10"	11'-4"	6'-5 7/8 "	8	8	6248	8536
TCIA-1108-10-1	10	11'-6 1/4 "	8'-5 7/8 "	12'-10"	11'-4"	6'-5 7/8 "	8	8	6248	8536
TCIA-1108-15-1	15	11'-6 1/4 "	8'-5 7/8 "	13'-4"	11'-4"	6'-5 7/8 "	8	8	6248	8536
TCIA-1108-20-1	20	11'-6 1/4 "	8'-5 7/8 "	13'-4"	11'-4"	6'-5 7/8 "	8	8	6248	8536
TCIA-1108-25-1	25	11'-6 1/4 "	8'-5 7/8 "	13'-4"	11'-4"	6'-5 7/8 "	8	8	6248	8536
TCIA-1110-7.5-1	7.5	11'-6 1/4 "	10'-6 1/8 "	12'-10"	11'-4"	8'-6 1/8 "	8	8	7810	10670
TCIA-1110-10-1	10	11'-6 1/4 "	10'-6 1/8 "	12'-10"	11'-4"	8'-6 1/8 "	8	8	7810	10670
TCIA-1110-15-1	15	11'-6 1/4 "	10'-6 1/8 "	13'-4"	11'-4"	8'-6 1/8 "	8	8	7810	10670
TCIA-1110-20-1	20	11'-6 1/4 "	10'-6 1/8 "	13'-4"	11'-4"	8'-6 1/8 "	8	8	7810	10670
TCIA-1110-25-1	25	11'-6 1/4 "	10'-6 1/8 "	13'-10"	11'-4"	8'-6 1/8 "	8	8	7810	10670
TCIA-1110-30-1	30	11'-6 1/4 "	10'-6 1/8 "	13'-10"	11'-4"	8'-6 1/8 "	8	8	7810	10670
TCIA-1112-10-1	10	11'-6 1/4 "	12'-6 3/8 "	13'-4"	11'-4"	10'-6 3/8 "	8	10	9372	12804
TCIA-1112-15-1	15	11'-6 1/4 "	12'-6 3/8 "	13'-4"	11'-4"	10'-6 3/8 "	8	10	9372	12804
TCIA-1112-20-1	20	11'-6 1/4 "	12'-6 3/8 "	13'-10"	11'-4"	10'-6 3/8 "	8	10	9372	12804
TCIA-1112-25-1	25	11'-6 1/4 "	12'-6 3/8 "	13'-10"	11'-4"	10'-6 3/8 "	8	10	9372	12804
TCIA-1112-30-1	30	11'-6 1/4 "	12'-6 3/8 "	13'-10"	11'-4"	10'-6 3/8 "	8	10	9372	12804
TCIA-1112-40-1	40	11'-6 1/4 "	12'-6 3/8 "	14'-4"	11'-4"	10'-6 3/8 "	8	10	9372	12804
TCIA-1114-15-1	15	11'-6 1/4 "	14'-6 5/8 "	13'-4"	11'-4"	12'-6 5/8 "	8	10	10934	14938
TCIA-1114-20-1	20	11'-6 1/4 "	14'-6 5/8 "	13'-10"	11'-4"	12'-6 5/8 "	8	10	10934	14938
TCIA-1114-25-1	25	11'-6 1/4 "	14'-6 5/8 "	13'-10"	11'-4"	12'-6 5/8 "	8	10	10934	14938
TCIA-1114-30-1	30	11'-6 1/4 "	14'-6 5/8 "	13'-10"	11'-4"	12'-6 5/8 "	8	10	10934	14938
TCIA-1114-40-1	40	11'-6 1/4 "	14'-6 5/8 "	14'-4"	11'-4"	12'-6 5/8 "	8	10	10934	14938
TCIA-1114-50-1	50	11'-6 1/4 "	14'-6 5/8 "	14'-4"	11'-4"	12'-6 5/8 "	8	10	10934	14938
TCIA-1116-15-1	15	11'-6 1/4 "	16'-6 7/8 "	14'-10"	11'-4"	14'-6 7/8 "	10	10	12496	17072
TCIA-1116-20-1	20	11'-6 1/4 "	16'-6 7/8 "	14'-10"	11'-4"	14'-6 7/8 "	10	10	12496	17072
TCIA-1116-25-1	25	11'-6 1/4 "	16'-6 7/8 "	14'-10"	11'-4"	14'-6 7/8 "	10	10	12496	17072
TCIA-1116-30-1	30	11'-6 1/4 "	16'-6 7/8 "	14'-10"	11'-4"	14'-6 7/8 "	10	10	12496	17072
TCIA-1116-40-1	40	11'-6 1/4 "	16'-6 7/8 "	15'-4"	11'-4"	14'-6 7/8 "	10	10	12496	17072

Model Number	HP/Cell	L	W	H	C	D	A diam	B diam	Dry Weight (lbs)	OP Weight (lbs)
TCIA-1116-50-1	50	11'-6 1/4 "	16'-6 7/8 "	15'-4"	11'-4"	14'-6 7/8 "	10	10	12496	17072
TCIA-1118-20-1	20	11'-6 1/4 "	18'-7 1/8 "	15'-10"	11'-4"	16'-7 1/8 "	10	12	14058	19206
TCIA-1118-25-1	25	11'-6 1/4 "	18'-7 1/8 "	15'-10"	11'-4"	16'-7 1/8 "	10	12	14058	19206
TCIA-1118-30-1	30	11'-6 1/4 "	18'-7 1/8 "	15'-10"	11'-4"	16'-7 1/8 "	10	12	14058	19206
TCIA-1118-40-1	40	11'-6 1/4 "	18'-7 1/8 "	16'-4"	11'-4"	16'-7 1/8 "	10	12	14058	19206
TCIA-1118-50-1	50	11'-6 1/4 "	18'-7 1/8 "	16'-4"	11'-4"	16'-7 1/8 "	10	12	14058	19206
TCIA-1118-60-1	60	11'-6 1/4 "	18'-7 1/8 "	16'-10"	11'-4"	16'-7 1/8 "	10	12	14058	19206
TCIA-1314-15-1	15	13'-6 1/2 "	14'-6 5/8 "	12'-10"	13'-4 1/4 "	12'-6 5/8 "	10	12	12922	17654
TCIA-1314-20-1	20	13'-6 1/2 "	14'-6 5/8 "	12'-10"	13'-4 1/4 "	12'-6 5/8 "	10	12	12922	17654
TCIA-1314-25-1	25	13'-6 1/2 "	14'-6 5/8 "	13'-4"	13'-4 1/4 "	12'-6 5/8 "	10	12	12922	17654
TCIA-1314-30-1	30	13'-6 1/2 "	14'-6 5/8 "	13'-4"	13'-4 1/4 "	12'-6 5/8 "	10	12	12922	17654
TCIA-1314-40-1	40	13'-6 1/2 "	14'-6 5/8 "	13'-10"	13'-4 1/4 "	12'-6 5/8 "	10	12	12922	17654
TCIA-1314-50-1	50	13'-6 1/2 "	14'-6 5/8 "	13'-10"	13'-4 1/4 "	12'-6 5/8 "	10	12	12922	17654
TCIA-1314-60-1	60	13'-6 1/2 "	14'-6 5/8 "	13'-10"	13'-4 1/4 "	12'-6 5/8 "	10	12	12922	17654
TCIA-1316-20-1	20	13'-6 1/2 "	16'-6 7/8 "	13'-10"	13'-4 1/4 "	14'-6 7/8 "	10	12	14768	20176
TCIA-1316-25-1	25	13'-6 1/2 "	16'-6 7/8 "	14'-4"	13'-4 1/4 "	14'-6 7/8 "	10	12	14768	20176
TCIA-1316-30-1	30	13'-6 1/2 "	16'-6 7/8 "	14'-4"	13'-4 1/4 "	14'-6 7/8 "	10	12	14768	20176
TCIA-1316-40-1	40	13'-6 1/2 "	16'-6 7/8 "	14'-10"	13'-4 1/4 "	14'-6 7/8 "	10	12	14768	20176
TCIA-1316-50-1	50	13'-6 1/2 "	16'-6 7/8 "	14'-10"	13'-4 1/4 "	14'-6 7/8 "	10	12	14768	20176
TCIA-1316-60-1	60	13'-6 1/2 "	16'-6 7/8 "	15'-4"	13'-4 1/4 "	14'-6 7/8 "	10	12	14768	20176
TCIA-1316-75-1	75	13'-6 1/2 "	16'-6 7/8 "	15'-4"	13'-4 1/4 "	14'-6 7/8 "	10	12	14768	20176
TCIA-1318-20-1	20	13'-6 1/2 "	18'-7 1/8 "	14'-10"	13'-4 1/4 "	16'-7 1/8 "	10	12	16614	22698
TCIA-1318-25-1	25	13'-6 1/2 "	18'-7 1/8 "	15'-4"	13'-4 1/4 "	16'-7 1/8 "	10	12	16614	22698
TCIA-1318-30-1	30	13'-6 1/2 "	18'-7 1/8 "	15'-4"	13'-4 1/4 "	16'-7 1/8 "	10	12	16614	22698
TCIA-1318-40-1	40	13'-6 1/2 "	18'-7 1/8 "	15'-4"	13'-4 1/4 "	16'-7 1/8 "	10	12	16614	22698
TCIA-1318-50-1	50	13'-6 1/2 "	18'-7 1/8 "	15'-10"	13'-4 1/4 "	16'-7 1/8 "	10	12	16614	22698
TCIA-1318-60-1	60	13'-6 1/2 "	18'-7 1/8 "	16'-4"	13'-4 1/4 "	16'-7 1/8 "	10	12	16614	22698
TCIA-1318-75-1	75	13'-6 1/2 "	18'-7 1/8 "	16'-4"	13'-4 1/4 "	16'-7 1/8 "	10	12	16614	22698
TCIA-1320-20-1	20	13'-6 1/2 "	20'-7 3/8 "	15'-10"	13'-4 1/4 "	18'-7 3/8 "	10	12	18460	25220
TCIA-1320-25-1	25	13'-6 1/2 "	20'-7 3/8 "	16'-4"	13'-4 1/4 "	18'-7 3/8 "	10	12	18460	25220
TCIA-1320-30-1	30	13'-6 1/2 "	20'-7 3/8 "	16'-4"	13'-4 1/4 "	18'-7 3/8 "	10	12	18460	25220
TCIA-1320-40-1	40	13'-6 1/2 "	20'-7 3/8 "	16'-10"	13'-4 1/4 "	18'-7 3/8 "	10	12	18460	25220
TCIA-1320-50-1	50	13'-6 1/2 "	20'-7 3/8 "	16'-10"	13'-4 1/4 "	18'-7 3/8 "	10	12	18460	25220
TCIA-1320-60-1	60	13'-6 1/2 "	20'-7 3/8 "	17'-4"	13'-4 1/4 "	18'-7 3/8 "	10	12	18460	25220

Model Number	HP/Cell	L	W	H	C	D	A diam	B diam	Dry Weight (lbs)	OP Weight (lbs)
TCIA-1320-75-1	75	13'-6 1/2 "	20'-7 3/8 "	17'-4"	13'-4 1/4 "	18'-7 3/8 "	10	12	18460	25220
TCIA-1322-20-1	20	13'-6 1/2 "	22'-7 5/8 "	16'-10"	13'-4 1/4 "	20'-7 5/8 "	10	12	20306	27742
TCIA-1322-25-1	25	13'-6 1/2 "	22'-7 5/8 "	17'-4"	13'-4 1/4 "	20'-7 5/8 "	10	12	20306	27742
TCIA-1322-30-1	30	13'-6 1/2 "	22'-7 5/8 "	17'-4"	13'-4 1/4 "	20'-7 5/8 "	10	12	20306	27742
TCIA-1322-40-1	40	13'-6 1/2 "	22'-7 5/8 "	17'-10"	13'-4 1/4 "	20'-7 5/8 "	10	12	20306	27742
TCIA-1322-50-1	50	13'-6 1/2 "	22'-7 5/8 "	17'-10"	13'-4 1/4 "	20'-7 5/8 "	12	12	20306	27742
TCIA-1322-60-1	60	13'-6 1/2 "	22'-7 5/8 "	18'-4"	13'-4 1/4 "	20'-7 5/8 "	12	12	20306	27742
TCIA-1322-75-1	75	13'-6 1/2 "	22'-7 5/8 "	18'-4"	13'-4 1/4 "	20'-7 5/8 "	12	12	20306	27742
TCIA-1324-25-1	25	13'-6 1/2 "	24'-7 7/8 "	17'-10"	13'-4 1/4 "	22'-7 7/8 "	10	14	22152	30264
TCIA-1324-30-1	30	13'-6 1/2 "	24'-7 7/8 "	18'-4"	13'-4 1/4 "	22'-7 7/8 "	10	14	22152	30264
TCIA-1324-40-1	40	13'-6 1/2 "	24'-7 7/8 "	18'-4"	13'-4 1/4 "	22'-7 7/8 "	12	14	22152	30264
TCIA-1324-50-1	50	13'-6 1/2 "	24'-7 7/8 "	18'-10"	13'-4 1/4 "	22'-7 7/8 "	12	14	22152	30264
TCIA-1324-60-1	60	13'-6 1/2 "	24'-7 7/8 "	18'-10"	13'-4 1/4 "	22'-7 7/8 "	12	14	22152	30264
TCIA-1324-75-1	75	13'-6 1/2 "	24'-7 7/8 "	19'-4"	13'-4 1/4 "	22'-7 7/8 "	12	14	22152	30264
TCIA-1324-100-1	100	13'-6 1/2 "	24'-7 7/8 "	19'-10"	13'-4 1/4 "	22'-7 7/8 "	14	14	22152	30264
TCIA-1326-25-1	25	13'-6 1/2 "	26'-8 1/8 "	17'-10"	13'-4 1/4 "	24'-8 1/8 "	10	14	23998	32786
TCIA-1326-30-1	30	13'-6 1/2 "	26'-8 1/8 "	18'-4"	13'-4 1/4 "	24'-8 1/8 "	12	14	23998	32786
TCIA-1326-40-1	40	13'-6 1/2 "	26'-8 1/8 "	18'-4"	13'-4 1/4 "	24'-8 1/8 "	12	14	23998	32786
TCIA-1326-50-1	50	13'-6 1/2 "	26'-8 1/8 "	18'-10"	13'-4 1/4 "	24'-8 1/8 "	12	14	23998	32786
TCIA-1326-60-1	60	13'-6 1/2 "	26'-8 1/8 "	18'-10"	13'-4 1/4 "	24'-8 1/8 "	12	14	23998	32786
TCIA-1326-75-1	75	13'-6 1/2 "	26'-8 1/8 "	19'-4"	13'-4 1/4 "	24'-8 1/8 "	12	14	23998	32786
TCIA-1326-100-1	100	13'-6 1/2 "	26'-8 1/8 "	19'-10"	13'-4 1/4 "	24'-8 1/8 "	14	14	23998	32786
TCIA-0408-1-2	1	4'-5 3/8 "	8'-11 3/4 "	11'-10"	4'-3 1/8 "	6'-11 3/4 "	3	4	2272	3104
TCIA-0408-2-2	2	4'-5 3/8 "	8'-11 3/4 "	12'-4"	4'-3 1/8 "	2'-5 7/8 "	3	4	2272	3104
TCIA-0408-3-2	3	4'-5 3/8 "	8'-11 3/4 "	12'-4"	4'-3 1/8 "	2'-5 7/8 "	3	4	2272	3104
TCIA-0408-5-2	5	4'-5 3/8 "	8'-11 3/4 "	12'-10"	4'-3 1/8 "	2'-5 7/8 "	3	4	2272	3104
TCIA-0612-3-2	3	6'-5 5/8 "	13'-0 1/4 "	12'-4"	6'-3 3/8 "	4'-6 1/8 "	6	6	5112	6984
TCIA-0612-5-2	5	6'-5 5/8 "	13'-0 1/4 "	12'-10"	6'-3 3/8 "	4'-6 1/8 "	6	6	5112	6984
TCIA-0612-7.5-2	7.5	6'-5 5/8 "	13'-0 1/4 "	13'-4"	6'-3 3/8 "	4'-6 1/8 "	6	6	5112	6984
TCIA-0612-10-2	10	6'-5 5/8 "	13'-0 1/4 "	13'-4"	6'-3 3/8 "	4'-6 1/8 "	6	6	5112	6984
TCIA-0812-5-2	5	8'-5 7/8 "	13'-0 1/4 "	13'-4"	8'-3 5/8 "	4'-6 1/8 "	8	8	6816	9312
TCIA-0812-7.5-2	7.5	8'-5 7/8 "	13'-0 1/4 "	13'-4"	8'-3 5/8 "	4'-6 1/8 "	8	8	6816	9312
TCIA-0812-10-2	10	8'-5 7/8 "	13'-0 1/4 "	13'-4"	8'-3 5/8 "	4'-6 1/8 "	8	8	6816	9312
TCIA-0812-15-2	15	8'-5 7/8 "	13'-0 1/4 "	13'-10"	8'-3 5/8 "	4'-6 1/8 "	8	8	6816	9312

Model Number	HP/Cell	L	W	H	C	D	A diam	B diam	Dry Weight (lbs)	OP Weight (lbs)
TCIA-0816-5-2	5	8'-5 7/8 "	17'-0 3/4 "	13'-4"	8'-3 5/8 "	6'-6 3/8 "	8	8	9088	12416
TCIA-0816-7.5-2	7.5	8'-5 7/8 "	17'-0 3/4 "	13'-4"	8'-3 5/8 "	6'-6 3/8 "	8	8	9088	12416
TCIA-0816-10-2	10	8'-5 7/8 "	17'-0 3/4 "	13'-10"	8'-3 5/8 "	6'-6 3/8 "	8	8	9088	12416
TCIA-0816-15-2	15	8'-5 7/8 "	17'-0 3/4 "	13'-10"	8'-3 5/8 "	6'-6 3/8 "	8	8	9088	12416
TCIA-0816-20-2	20	8'-5 7/8 "	17'-0 3/4 "	14'-4"	8'-3 5/8 "	6'-6 3/8 "	8	8	9088	12416
TCIA-0820-5-2	5	8'-5 7/8 "	21'-1 1/4 "	13'-4"	8'-3 5/8 "	8'-6 5/8 "	8	8	11360	15520
TCIA-0820-7.5-2	7.5	8'-5 7/8 "	21'-1 1/4 "	13'-4"	8'-3 5/8 "	8'-6 5/8 "	8	8	11360	15520
TCIA-0820-10-2	10	8'-5 7/8 "	21'-1 1/4 "	13'-4"	8'-3 5/8 "	8'-6 5/8 "	8	8	11360	15520
TCIA-0820-15-2	15	8'-5 7/8 "	21'-1 1/4 "	13'-10"	8'-3 5/8 "	8'-6 5/8 "	8	8	11360	15520
TCIA-0820-20-2	20	8'-5 7/8 "	21'-1 1/4 "	14'-4"	8'-3 5/8 "	8'-6 5/8 "	8	8	11360	15520
TCIA-0820-25-2	25	8'-5 7/8 "	21'-1 1/4 "	14'-4"	8'-3 5/8 "	8'-6 5/8 "	8	8	11360	15520
TCIA-0824-7.5-2	7.5	8'-5 7/8 "	25'-1 3/4 "	13'-10"	8'-3 5/8 "	10'-6 7/8 "	8	8	13632	18624
TCIA-0824-10-2	10	8'-5 7/8 "	25'-1 3/4 "	13'-10"	8'-3 5/8 "	10'-6 7/8 "	8	8	13632	18624
TCIA-0824-15-2	15	8'-5 7/8 "	25'-1 3/4 "	14'-4"	8'-3 5/8 "	10'-6 7/8 "	8	8	13632	18624
TCIA-0824-20-2	20	8'-5 7/8 "	25'-1 3/4 "	14'-4"	8'-3 5/8 "	10'-6 7/8 "	8	8	13632	18624
TCIA-0824-25-2	25	8'-5 7/8 "	25'-1 3/4 "	14'-10"	8'-3 5/8 "	10'-6 7/8 "	8	8	13632	18624
TCIA-0824-30-2	30	8'-5 7/8 "	25'-1 3/4 "	14'-10"	8'-3 5/8 "	10'-6 7/8 "	8	8	13632	18624
TCIA-0828-10-2	10	8'-5 7/8 "	29'-2 1/4 "	14'-10"	8'-3 5/8 "	12'-7 1/8 "	8	8	15904	21728
TCIA-0828-15-2	15	8'-5 7/8 "	29'-2 1/4 "	15'-4"	8'-3 5/8 "	12'-7 1/8 "	8	8	15904	21728
TCIA-0828-20-2	20	8'-5 7/8 "	29'-2 1/4 "	15'-4"	8'-3 5/8 "	12'-7 1/8 "	8	8	15904	21728
TCIA-0828-25-2	25	8'-5 7/8 "	29'-2 1/4 "	15'-10"	8'-3 5/8 "	12'-7 1/8 "	8	8	15904	21728
TCIA-0828-30-2	30	8'-5 7/8 "	29'-2 1/4 "	15'-10"	8'-3 5/8 "	12'-7 1/8 "	8	8	15904	21728
TCIA-1112-5-2	5	11'-6 1/4 "	13'-0 1/4 "	13'-10"	11'-4"	4'-6 1/8 "	8	8	9372	12804
TCIA-1112-7.5-2	7.5	11'-6 1/4 "	13'-0 1/4 "	14'-4"	11'-4"	4'-6 1/8 "	8	8	9372	12804
TCIA-1112-10-2	10	11'-6 1/4 "	13'-0 1/4 "	14'-4"	11'-4"	4'-6 1/8 "	8	8	9372	12804
TCIA-1112-15-2	15	11'-6 1/4 "	13'-0 1/4 "	14'-10"	11'-4"	4'-6 1/8 "	8	8	9372	12804
TCIA-1112-20-2	20	11'-6 1/4 "	13'-0 1/4 "	15'-4"	11'-4"	4'-6 1/8 "	8	8	9372	12804
TCIA-1116-5-2	5	11'-6 1/4 "	17'-0 3/4 "	13'-4"	11'-4"	6'-6 3/8 "	8	8	12496	17072
TCIA-1116-7.5-2	7.5	11'-6 1/4 "	17'-0 3/4 "	13'-4"	11'-4"	6'-6 3/8 "	8	8	12496	17072
TCIA-1116-10-2	10	11'-6 1/4 "	17'-0 3/4 "	13'-10"	11'-4"	6'-6 3/8 "	8	8	12496	17072
TCIA-1116-15-2	15	11'-6 1/4 "	17'-0 3/4 "	14'-4"	11'-4"	6'-6 3/8 "	8	8	12496	17072
TCIA-1116-20-2	20	11'-6 1/4 "	17'-0 3/4 "	14'-4"	11'-4"	6'-6 3/8 "	8	8	12496	17072
TCIA-1116-25-2	25	11'-6 1/4 "	17'-0 3/4 "	14'-10"	11'-4"	6'-6 3/8 "	8	8	12496	17072
TCIA-1120-7.5-2	7.5	11'-6 1/4 "	21'-1 1/4 "	13'-10"	11'-4"	8'-6 5/8 "	8	8	15620	21340

Model Number	HP/Cell	L	W	H	C	D	A diam	B diam	Dry Weight (lbs)	OP Weight (lbs)
TCIA-1120-10-2	10	11'-6 1/4 "	21'-1 1/4 "	13'-10"	11'-4"	8'-6 5/8 "	8	8	15620	21340
TCIA-1120-15-2	15	11'-6 1/4 "	21'-1 1/4 "	14'-4"	11'-4"	8'-6 5/8 "	8	8	15620	21340
TCIA-1120-20-2	20	11'-6 1/4 "	21'-1 1/4 "	14'-4"	11'-4"	8'-6 5/8 "	8	8	15620	21340
TCIA-1120-25-2	25	11'-6 1/4 "	21'-1 1/4 "	14'-10"	11'-4"	8'-6 5/8 "	8	8	15620	21340
TCIA-1120-30-2	30	11'-6 1/4 "	21'-1 1/4 "	14'-10"	11'-4"	8'-6 5/8 "	8	8	15620	21340
TCIA-1124-10-2	10	11'-6 1/4 "	25'-1 3/4 "	13'-10"	11'-4"	10'-6 7/8 "	8	10	18744	25608
TCIA-1124-15-2	15	11'-6 1/4 "	25'-1 3/4 "	14'-4"	11'-4"	10'-6 7/8 "	8	10	18744	25608
TCIA-1124-20-2	20	11'-6 1/4 "	25'-1 3/4 "	14'-4"	11'-4"	10'-6 7/8 "	8	10	18744	25608
TCIA-1124-25-2	25	11'-6 1/4 "	25'-1 3/4 "	14'-10"	11'-4"	10'-6 7/8 "	8	10	18744	25608
TCIA-1124-30-2	30	11'-6 1/4 "	25'-1 3/4 "	14'-10"	11'-4"	10'-6 7/8 "	8	10	18744	25608
TCIA-1124-40-2	40	11'-6 1/4 "	25'-1 3/4 "	15'-4"	11'-4"	10'-6 7/8 "	8	10	18744	25608
TCIA-1128-15-2	15	11'-6 1/4 "	29'-2 1/4 "	14'-4"	11'-4"	12'-7 1/8 "	8	10	21868	29876
TCIA-1128-20-2	20	11'-6 1/4 "	29'-2 1/4 "	14'-4"	11'-4"	12'-7 1/8 "	8	10	21868	29876
TCIA-1128-25-2	25	11'-6 1/4 "	29'-2 1/4 "	14'-10"	11'-4"	12'-7 1/8 "	8	10	21868	29876
TCIA-1128-30-2	30	11'-6 1/4 "	29'-2 1/4 "	14'-10"	11'-4"	12'-7 1/8 "	8	10	21868	29876
TCIA-1128-40-2	40	11'-6 1/4 "	29'-2 1/4 "	15'-4"	11'-4"	12'-7 1/8 "	8	10	21868	29876
TCIA-1128-50-2	50	11'-6 1/4 "	29'-2 1/4 "	15'-4"	11'-4"	12'-7 1/8 "	8	10	21868	29876
TCIA-1132-15-2	15	11'-6 1/4 "	33'-2 3/4 "	15'-4"	11'-4"	14'-7 3/8 "	10	10	24992	34144
TCIA-1132-20-2	20	11'-6 1/4 "	33'-2 3/4 "	15'-4"	11'-4"	14'-7 3/8 "	10	10	24992	34144
TCIA-1132-25-2	25	11'-6 1/4 "	33'-2 3/4 "	15'-10"	11'-4"	14'-7 3/8 "	10	10	24992	34144
TCIA-1132-30-2	30	11'-6 1/4 "	33'-2 3/4 "	15'-10"	11'-4"	14'-7 3/8 "	10	10	24992	34144
TCIA-1132-40-2	40	11'-6 1/4 "	33'-2 3/4 "	16'-4"	11'-4"	14'-7 3/8 "	10	10	24992	34144
TCIA-1132-50-2	50	11'-6 1/4 "	33'-2 3/4 "	16'-4"	11'-4"	14'-7 3/8 "	10	10	24992	34144
TCIA-1136-20-2	20	11'-6 1/4 "	37'-3 1/4 "	16'-4"	11'-4"	16'-7 5/8 "	10	12	28116	38412
TCIA-1136-25-2	25	11'-6 1/4 "	37'-3 1/4 "	16'-4"	11'-4"	16'-7 5/8 "	10	12	28116	38412
TCIA-1136-30-2	30	11'-6 1/4 "	37'-3 1/4 "	16'-10"	11'-4"	16'-7 5/8 "	10	12	28116	38412
TCIA-1136-40-2	40	11'-6 1/4 "	37'-3 1/4 "	16'-10"	11'-4"	16'-7 5/8 "	10	12	28116	38412
TCIA-1136-50-2	50	11'-6 1/4 "	37'-3 1/4 "	17'-4"	11'-4"	16'-7 5/8 "	10	12	28116	38412
TCIA-1136-60-2	60	11'-6 1/4 "	37'-3 1/4 "	17'-4"	11'-4"	16'-7 5/8 "	10	12	28116	38412
TCIA-1328-15-2	15	13'-6 1/2 "	29'-2 1/4 "	14'-4"	13'-4 1/4 "	12'-7 1/8 "	10	12	25844	35308
TCIA-1328-20-2	20	13'-6 1/2 "	29'-2 1/4 "	14'-10"	13'-4 1/4 "	12'-7 1/8 "	10	12	25844	35308
TCIA-1328-25-2	25	13'-6 1/2 "	29'-2 1/4 "	14'-10"	13'-4 1/4 "	12'-7 1/8 "	10	12	25844	35308
TCIA-1328-30-2	30	13'-6 1/2 "	29'-2 1/4 "	15'-4"	13'-4 1/4 "	12'-7 1/8 "	10	12	25844	35308
TCIA-1328-40-2	40	13'-6 1/2 "	29'-2 1/4 "	15'-10"	13'-4 1/4 "	12'-7 1/8 "	10	12	25844	35308

Model Number	HP/Cell	L	W	H	C	D	A diam	B diam	Dry Weight (lbs)	OP Weight (lbs)
TCIA-1328-50-2	50	13'-6 1/2 "	29'-2 1/4 "	15'-10"	13'-4 1/4 "	12'-7 1/8 "	10	12	25844	35308
TCIA-1328-60-2	60	13'-6 1/2 "	29'-2 1/4 "	15'-10"	13'-4 1/4 "	12'-7 1/8 "	10	12	25844	35308
TCIA-1332-20-2	20	13'-6 1/2 "	33'-2 3/4 "	14'-10"	13'-4 1/4 "	14'-7 3/8 "	10	12	29536	40352
TCIA-1332-25-2	25	13'-6 1/2 "	33'-2 3/4 "	14'-10"	13'-4 1/4 "	14'-7 3/8 "	10	12	29536	40352
TCIA-1332-30-2	30	13'-6 1/2 "	33'-2 3/4 "	15'-4"	13'-4 1/4 "	14'-7 3/8 "	10	12	29536	40352
TCIA-1332-40-2	40	13'-6 1/2 "	33'-2 3/4 "	15'-4"	13'-4 1/4 "	14'-7 3/8 "	10	12	29536	40352
TCIA-1332-50-2	50	13'-6 1/2 "	33'-2 3/4 "	15'-10"	13'-4 1/4 "	14'-7 3/8 "	10	12	29536	40352
TCIA-1332-60-2	60	13'-6 1/2 "	33'-2 3/4 "	16'-4"	13'-4 1/4 "	14'-7 3/8 "	10	12	29536	40352
TCIA-1332-75-2	75	13'-6 1/2 "	33'-2 3/4 "	16'-4"	13'-4 1/4 "	14'-7 3/8 "	10	12	29536	40352
TCIA-1336-20-2	20	13'-6 1/2 "	37'-3 1/4 "	15'-10"	13'-4 1/4 "	16'-7 5/8 "	10	12	33228	45396
TCIA-1336-25-2	25	13'-6 1/2 "	37'-3 1/4 "	15'-10"	13'-4 1/4 "	16'-7 5/8 "	10	12	33228	45396
TCIA-1336-30-2	30	13'-6 1/2 "	37'-3 1/4 "	15'-10"	13'-4 1/4 "	16'-7 5/8 "	10	12	33228	45396
TCIA-1336-40-2	40	13'-6 1/2 "	37'-3 1/4 "	16'-4"	13'-4 1/4 "	16'-7 5/8 "	10	12	33228	45396
TCIA-1336-50-2	50	13'-6 1/2 "	37'-3 1/4 "	16'-10"	13'-4 1/4 "	16'-7 5/8 "	10	12	33228	45396
TCIA-1336-60-2	60	13'-6 1/2 "	37'-3 1/4 "	16'-10"	13'-4 1/4 "	16'-7 5/8 "	10	12	33228	45396
TCIA-1336-75-2	75	13'-6 1/2 "	37'-3 1/4 "	17'-4"	13'-4 1/4 "	16'-7 5/8 "	10	12	33228	45396
TCIA-1340-20-2	20	13'-6 1/2 "	41'-3 3/4 "	16'-10"	13'-4 1/4 "	18'-7 7/8 "	10	12	36920	50440
TCIA-1340-25-2	25	13'-6 1/2 "	41'-3 3/4 "	16'-10"	13'-4 1/4 "	18'-7 7/8 "	10	12	36920	50440
TCIA-1340-30-2	30	13'-6 1/2 "	41'-3 3/4 "	16'-10"	13'-4 1/4 "	18'-7 7/8 "	10	12	36920	50440
TCIA-1340-40-2	40	13'-6 1/2 "	41'-3 3/4 "	17'-4"	13'-4 1/4 "	18'-7 7/8 "	10	12	36920	50440
TCIA-1340-50-2	50	13'-6 1/2 "	41'-3 3/4 "	17'-10"	13'-4 1/4 "	18'-7 7/8 "	10	12	36920	50440
TCIA-1340-60-2	60	13'-6 1/2 "	41'-3 3/4 "	17'-10"	13'-4 1/4 "	18'-7 7/8 "	10	12	36920	50440
TCIA-1340-75-2	75	13'-6 1/2 "	41'-3 3/4 "	18'-4"	13'-4 1/4 "	18'-7 7/8 "	10	12	36920	50440
TCIA-1344-20-2	20	13'-6 1/2 "	45'-4 1/4 "	17'-4"	13'-4 1/4 "	20'-8 1/8 "	10	12	40612	55484
TCIA-1344-25-2	25	13'-6 1/2 "	45'-4 1/4 "	17'-10"	13'-4 1/4 "	20'-8 1/8 "	10	12	40612	55484
TCIA-1344-30-2	30	13'-6 1/2 "	45'-4 1/4 "	17'-10"	13'-4 1/4 "	20'-8 1/8 "	10	12	40612	55484
TCIA-1344-40-2	40	13'-6 1/2 "	45'-4 1/4 "	18'-4"	13'-4 1/4 "	20'-8 1/8 "	10	12	40612	55484
TCIA-1344-50-2	50	13'-6 1/2 "	45'-4 1/4 "	18'-4"	13'-4 1/4 "	20'-8 1/8 "	12	12	40612	55484
TCIA-1344-60-2	60	13'-6 1/2 "	45'-4 1/4 "	18'-10"	13'-4 1/4 "	20'-8 1/8 "	12	12	40612	55484
TCIA-1344-75-2	75	13'-6 1/2 "	45'-4 1/4 "	19'-4"	13'-4 1/4 "	20'-8 1/8 "	12	12	40612	55484
TCIA-1348-25-2	25	13'-6 1/2 "	49'-4 3/4 "	18'-4"	13'-4 1/4 "	22'-8 3/8 "	10	14	44304	60528
TCIA-1348-30-2	30	13'-6 1/2 "	49'-4 3/4 "	18'-10"	13'-4 1/4 "	22'-8 3/8 "	10	14	44304	60528
TCIA-1348-40-2	40	13'-6 1/2 "	49'-4 3/4 "	18'-10"	13'-4 1/4 "	22'-8 3/8 "	12	14	44304	60528
TCIA-1348-50-2	50	13'-6 1/2 "	49'-4 3/4 "	19'-4"	13'-4 1/4 "	22'-8 3/8 "	12	14	44304	60528

Model Number	HP/Cell	L	W	H	C	D	A diam	B diam	Dry Weight (lbs)	OP Weight (lbs)
TCIA-1348-60-2	60	13'-6 1/2 "	49'-4 3/4 "	19'-10"	13'-4 1/4 "	22'-8 3/8 "	12	14	44304	60528
TCIA-1348-75-2	75	13'-6 1/2 "	49'-4 3/4 "	19'-10"	13'-4 1/4 "	22'-8 3/8 "	12	14	44304	60528
TCIA-1348-100-2	100	13'-6 1/2 "	49'-4 3/4 "	20'-4"	13'-4 1/4 "	22'-8 3/8 "	14	14	44304	60528
TCIA-1352-25-2	25	13'-6 1/2 "	53'-5 1/4 "	18'-4"	13'-4 1/4 "	24'-8 5/8 "	10	14	47996	65572
TCIA-1352-30-2	30	13'-6 1/2 "	53'-5 1/4 "	18'-10"	13'-4 1/4 "	24'-8 5/8 "	12	14	47996	65572
TCIA-1352-40-2	40	13'-6 1/2 "	53'-5 1/4 "	18'-10"	13'-4 1/4 "	24'-8 5/8 "	12	14	47996	65572
TCIA-1352-50-2	50	13'-6 1/2 "	53'-5 1/4 "	19'-4"	13'-4 1/4 "	24'-8 5/8 "	12	14	47996	65572
TCIA-1352-60-2	60	13'-6 1/2 "	53'-5 1/4 "	19'-4"	13'-4 1/4 "	24'-8 5/8 "	12	14	47996	65572
TCIA-1352-75-2	75	13'-6 1/2 "	53'-5 1/4 "	19'-10"	13'-4 1/4 "	24'-8 5/8 "	12	14	47996	65572
TCIA-1352-100-2	100	13'-6 1/2 "	53'-5 1/4 "	20'-4"	13'-4 1/4 "	24'-8 5/8 "	14	14	47996	65572
TCIA-1610-5-2	5	16'-7 7/8 "	10'-6 1/8 "	13'-4"	16'-5 5/8 "	8'-6 1/8 "	8	8	11360	15520
TCIA-1610-7.5-2	7.5	16'-7 7/8 "	10'-6 1/8 "	13'-4"	16'-5 5/8 "	8'-6 1/8 "	8	8	11360	15520
TCIA-1610-10-2	10	16'-7 7/8 "	10'-6 1/8 "	13'-10"	16'-5 5/8 "	8'-6 1/8 "	8	8	11360	15520
TCIA-1610-15-2	15	16'-7 7/8 "	10'-6 1/8 "	13'-10"	16'-5 5/8 "	8'-6 1/8 "	8	8	11360	15520
TCIA-1610-20-2	20	16'-7 7/8 "	10'-6 1/8 "	14'-4"	16'-5 5/8 "	8'-6 1/8 "	8	8	11360	15520
TCIA-1610-25-2	25	16'-7 7/8 "	10'-6 1/8 "	14'-10"	16'-5 5/8 "	8'-6 1/8 "	8	8	11360	15520
TCIA-1612-7.5-2	7.5	16'-7 7/8 "	12'-6 3/8 "	13'-10"	16'-5 5/8 "	10'-6 3/8 "	8	8	13632	18624
TCIA-1612-10-2	10	16'-7 7/8 "	12'-6 3/8 "	14'-4"	16'-5 5/8 "	10'-6 3/8 "	8	8	13632	18624
TCIA-1612-15-2	15	16'-7 7/8 "	12'-6 3/8 "	14'-10"	16'-5 5/8 "	10'-6 3/8 "	8	8	13632	18624
TCIA-1612-20-2	20	16'-7 7/8 "	12'-6 3/8 "	14'-10"	16'-5 5/8 "	10'-6 3/8 "	8	8	13632	18624
TCIA-1612-25-2	25	16'-7 7/8 "	12'-6 3/8 "	14'-10"	16'-5 5/8 "	10'-6 3/8 "	8	8	13632	18624
TCIA-1612-30-2	30	16'-7 7/8 "	12'-6 3/8 "	15'-4"	16'-5 5/8 "	10'-6 3/8 "	8	8	13632	18624
TCIA-1614-10-2	10	16'-7 7/8 "	14'-6 5/8 "	14'-10"	16'-5 5/8 "	12'-6 5/8 "	8	8	15904	21728
TCIA-1614-15-2	15	16'-7 7/8 "	14'-6 5/8 "	15'-4"	16'-5 5/8 "	12'-6 5/8 "	8	8	15904	21728
TCIA-1614-20-2	20	16'-7 7/8 "	14'-6 5/8 "	15'-10"	16'-5 5/8 "	12'-6 5/8 "	8	8	15904	21728
TCIA-1614-25-2	25	16'-7 7/8 "	14'-6 5/8 "	15'-10"	16'-5 5/8 "	12'-6 5/8 "	8	8	15904	21728
TCIA-1614-30-2	30	16'-7 7/8 "	14'-6 5/8 "	16'-4"	16'-5 5/8 "	12'-6 5/8 "	8	8	15904	21728
TCIA-2206-5-2	5	22'-8 5/8 "	6'-5 5/8 "	13'-10"	22'-6 3/8 "	4'-5 5/8 "	8	8	9372	12804
TCIA-2206-7.5-2	7.5	22'-8 5/8 "	6'-5 5/8 "	13'-10"	22'-6 3/8 "	4'-5 5/8 "	8	8	9372	12804
TCIA-2206-10-2	10	22'-8 5/8 "	6'-5 5/8 "	13'-10"	22'-6 3/8 "	4'-5 5/8 "	8	8	9372	12804
TCIA-2206-15-2	15	22'-8 5/8 "	6'-5 5/8 "	14'-4"	22'-6 3/8 "	4'-5 5/8 "	8	8	9372	12804
TCIA-2206-20-2	20	22'-8 5/8 "	6'-5 5/8 "	14'-4"	22'-6 3/8 "	4'-5 5/8 "	8	8	9372	12804
TCIA-2208-5-2	5	22'-8 5/8 "	8'-5 7/8 "	12'-10"	22'-6 3/8 "	6'-5 7/8 "	8	8	12496	17072
TCIA-2208-7.5-2	7.5	22'-8 5/8 "	8'-5 7/8 "	13'-4"	22'-6 3/8 "	6'-5 7/8 "	8	8	12496	17072

Model Number	HP/Cell	L	W	H	C	D	A diam	B diam	Dry Weight (lbs)	OP Weight (lbs)
TCIA-2208-10-2	10	22'-8 5/8 "	8'-5 7/8 "	13'-4"	22'-6 3/8 "	6'-5 7/8 "	8	8	12496	17072
TCIA-2208-15-2	15	22'-8 5/8 "	8'-5 7/8 "	13'-10"	22'-6 3/8 "	6'-5 7/8 "	8	8	12496	17072
TCIA-2208-20-2	20	22'-8 5/8 "	8'-5 7/8 "	13'-10"	22'-6 3/8 "	6'-5 7/8 "	8	8	12496	17072
TCIA-2208-25-2	25	22'-8 5/8 "	8'-5 7/8 "	14'-4"	22'-6 3/8 "	6'-5 7/8 "	8	8	12496	17072
TCIA-2210-7.5-2	7.5	22'-8 5/8 "	10'-6 1/8 "	13'-10"	22'-6 3/8 "	8'-6 1/8 "	8	8	15620	21340
TCIA-2210-10-2	10	22'-8 5/8 "	10'-6 1/8 "	13'-10"	22'-6 3/8 "	8'-6 1/8 "	8	8	15620	21340
TCIA-2210-15-2	15	22'-8 5/8 "	10'-6 1/8 "	13'-10"	22'-6 3/8 "	8'-6 1/8 "	8	8	15620	21340
TCIA-2210-20-2	20	22'-8 5/8 "	10'-6 1/8 "	14'-4"	22'-6 3/8 "	8'-6 1/8 "	8	8	15620	21340
TCIA-2210-25-2	25	22'-8 5/8 "	10'-6 1/8 "	14'-4"	22'-6 3/8 "	8'-6 1/8 "	8	8	15620	21340
TCIA-2210-30-2	30	22'-8 5/8 "	10'-6 1/8 "	14'-10"	22'-6 3/8 "	8'-6 1/8 "	8	8	15620	21340
TCIA-2212-10-2	10	22'-8 5/8 "	12'-6 3/8 "	13'-10"	22'-6 3/8 "	10'-6 3/8 "	8	10	18744	25608
TCIA-2212-15-2	15	22'-8 5/8 "	12'-6 3/8 "	14'-4"	22'-6 3/8 "	10'-6 3/8 "	8	10	18744	25608
TCIA-2212-20-2	20	22'-8 5/8 "	12'-6 3/8 "	14'-10"	22'-6 3/8 "	10'-6 3/8 "	8	10	18744	25608
TCIA-2212-25-2	25	22'-8 5/8 "	12'-6 3/8 "	14'-10"	22'-6 3/8 "	10'-6 3/8 "	8	10	18744	25608
TCIA-2212-30-2	30	22'-8 5/8 "	12'-6 3/8 "	15'-4"	22'-6 3/8 "	10'-6 3/8 "	8	10	18744	25608
TCIA-2212-40-2	40	22'-8 5/8 "	12'-6 3/8 "	15'-4"	22'-6 3/8 "	10'-6 3/8 "	8	10	18744	25608
TCIA-2214-15-2	15	22'-8 5/8 "	14'-6 5/8 "	14'-4"	22'-6 3/8 "	12'-6 5/8 "	8	10	21868	29876
TCIA-2214-20-2	20	22'-8 5/8 "	14'-6 5/8 "	14'-10"	22'-6 3/8 "	12'-6 5/8 "	8	10	21868	29876
TCIA-2214-25-2	25	22'-8 5/8 "	14'-6 5/8 "	14'-10"	22'-6 3/8 "	12'-6 5/8 "	8	10	21868	29876
TCIA-2214-30-2	30	22'-8 5/8 "	14'-6 5/8 "	15'-4"	22'-6 3/8 "	12'-6 5/8 "	8	10	21868	29876
TCIA-2214-40-2	40	22'-8 5/8 "	14'-6 5/8 "	15'-10"	22'-6 3/8 "	12'-6 5/8 "	8	10	21868	29876
TCIA-2214-50-2	50	22'-8 5/8 "	14'-6 5/8 "	15'-10"	22'-6 3/8 "	12'-6 5/8 "	8	10	21868	29876
TCIA-2216-15-2	15	22'-8 5/8 "	16'-6 7/8 "	15'-10"	22'-6 3/8 "	14'-6 7/8 "	10	10	24992	34144
TCIA-2216-20-2	20	22'-8 5/8 "	16'-6 7/8 "	15'-10"	22'-6 3/8 "	14'-6 7/8 "	10	10	24992	34144
TCIA-2216-25-2	25	22'-8 5/8 "	16'-6 7/8 "	15'-10"	22'-6 3/8 "	14'-6 7/8 "	10	10	24992	34144
TCIA-2216-30-2	30	22'-8 5/8 "	16'-6 7/8 "	16'-4"	22'-6 3/8 "	14'-6 7/8 "	10	10	24992	34144
TCIA-2216-40-2	40	22'-8 5/8 "	16'-6 7/8 "	16'-10"	22'-6 3/8 "	14'-6 7/8 "	10	10	24992	34144
TCIA-2216-50-2	50	22'-8 5/8 "	16'-6 7/8 "	16'-10"	22'-6 3/8 "	14'-6 7/8 "	10	10	24992	34144
TCIA-2218-20-2	20	22'-8 5/8 "	18'-7 1/8 "	16'-10"	22'-6 3/8 "	16'-7 1/8 "	10	12	28116	38412
TCIA-2218-25-2	25	22'-8 5/8 "	18'-7 1/8 "	17'-4"	22'-6 3/8 "	16'-7 1/8 "	10	12	28116	38412
TCIA-2218-30-2	30	22'-8 5/8 "	18'-7 1/8 "	17'-4"	22'-6 3/8 "	16'-7 1/8 "	10	12	28116	38412
TCIA-2218-40-2	40	22'-8 5/8 "	18'-7 1/8 "	17'-10"	22'-6 3/8 "	16'-7 1/8 "	10	12	28116	38412
TCIA-2218-50-2	50	22'-8 5/8 "	18'-7 1/8 "	18'-4"	22'-6 3/8 "	16'-7 1/8 "	10	12	28116	38412
TCIA-2218-60-2	60	22'-8 5/8 "	18'-7 1/8 "	18'-4"	22'-6 3/8 "	16'-7 1/8 "	10	12	28116	38412

Model Number	HP/Cell	L	W	H	C	D	A diam	B diam	Dry Weight (lbs)	OP Weight (lbs)
TCIA-2614-15-2	15	26'-9 1/8 "	14'-6 5/8 "	14'-4"	26'-6 7/8 "	12'-6 5/8 "	10	12	25844	35308
TCIA-2614-20-2	20	26'-9 1/8 "	14'-6 5/8 "	14'-10"	26'-6 7/8 "	12'-6 5/8 "	10	12	25844	35308
TCIA-2614-25-2	25	26'-9 1/8 "	14'-6 5/8 "	14'-10"	26'-6 7/8 "	12'-6 5/8 "	10	12	25844	35308
TCIA-2614-30-2	30	26'-9 1/8 "	14'-6 5/8 "	15'-4"	26'-6 7/8 "	12'-6 5/8 "	10	12	25844	35308
TCIA-2614-40-2	40	26'-9 1/8 "	14'-6 5/8 "	15'-10"	26'-6 7/8 "	12'-6 5/8 "	10	12	25844	35308
TCIA-2614-50-2	50	26'-9 1/8 "	14'-6 5/8 "	15'-10"	26'-6 7/8 "	12'-6 5/8 "	10	12	25844	35308
TCIA-2614-60-2	60	26'-9 1/8 "	14'-6 5/8 "	16'-4"	26'-6 7/8 "	12'-6 5/8 "	10	12	25844	35308
TCIA-2616-20-2	20	26'-9 1/8 "	16'-6 7/8 "	14'-10"	26'-6 7/8 "	14'-6 7/8 "	10	12	29536	40352
TCIA-2616-25-2	25	26'-9 1/8 "	16'-6 7/8 "	15'-4"	26'-6 7/8 "	14'-6 7/8 "	10	12	29536	40352
TCIA-2616-30-2	30	26'-9 1/8 "	16'-6 7/8 "	15'-4"	26'-6 7/8 "	14'-6 7/8 "	10	12	29536	40352
TCIA-2616-40-2	40	26'-9 1/8 "	16'-6 7/8 "	15'-10"	26'-6 7/8 "	14'-6 7/8 "	10	12	29536	40352
TCIA-2616-50-2	50	26'-9 1/8 "	16'-6 7/8 "	16'-4"	26'-6 7/8 "	14'-6 7/8 "	10	12	29536	40352
TCIA-2616-60-2	60	26'-9 1/8 "	16'-6 7/8 "	16'-4"	26'-6 7/8 "	14'-6 7/8 "	10	12	29536	40352
TCIA-2616-75-2	75	26'-9 1/8 "	16'-6 7/8 "	16'-10"	26'-6 7/8 "	14'-6 7/8 "	10	12	29536	40352
TCIA-2618-20-2	20	26'-9 1/8 "	18'-7 1/8 "	15'-10"	26'-6 7/8 "	16'-7 1/8 "	10	12	33228	45396
TCIA-2618-25-2	25	26'-9 1/8 "	18'-7 1/8 "	16'-4"	26'-6 7/8 "	16'-7 1/8 "	10	12	33228	45396
TCIA-2618-30-2	30	26'-9 1/8 "	18'-7 1/8 "	16'-4"	26'-6 7/8 "	16'-7 1/8 "	10	12	33228	45396
TCIA-2618-40-2	40	26'-9 1/8 "	18'-7 1/8 "	16'-10"	26'-6 7/8 "	16'-7 1/8 "	10	12	33228	45396
TCIA-2618-50-2	50	26'-9 1/8 "	18'-7 1/8 "	17'-4"	26'-6 7/8 "	16'-7 1/8 "	10	12	33228	45396
TCIA-2618-60-2	60	26'-9 1/8 "	18'-7 1/8 "	17'-4"	26'-6 7/8 "	16'-7 1/8 "	10	12	33228	45396
TCIA-2618-75-2	75	26'-9 1/8 "	18'-7 1/8 "	17'-10"	26'-6 7/8 "	16'-7 1/8 "	10	12	33228	45396
TCIA-2620-20-2	20	26'-9 1/8 "	20'-7 3/8 "	16'-10"	26'-6 7/8 "	18'-7 3/8 "	10	12	36920	50440
TCIA-2620-25-2	25	26'-9 1/8 "	20'-7 3/8 "	17'-4"	26'-6 7/8 "	18'-7 3/8 "	10	12	36920	50440
TCIA-2620-30-2	30	26'-9 1/8 "	20'-7 3/8 "	17'-4"	26'-6 7/8 "	18'-7 3/8 "	10	12	36920	50440
TCIA-2620-40-2	40	26'-9 1/8 "	20'-7 3/8 "	17'-10"	26'-6 7/8 "	18'-7 3/8 "	10	12	36920	50440
TCIA-2620-50-2	50	26'-9 1/8 "	20'-7 3/8 "	18'-4"	26'-6 7/8 "	18'-7 3/8 "	10	12	36920	50440
TCIA-2620-60-2	60	26'-9 1/8 "	20'-7 3/8 "	18'-10"	26'-6 7/8 "	18'-7 3/8 "	10	12	36920	50440
TCIA-2620-75-2	75	26'-9 1/8 "	20'-7 3/8 "	18'-10"	26'-6 7/8 "	18'-7 3/8 "	10	12	36920	50440
TCIA-2622-20-2	20	26'-9 1/8 "	22'-7 5/8 "	18'-4"	26'-6 7/8 "	20'-7 5/8 "	10	12	40612	55484
TCIA-2622-25-2	25	26'-9 1/8 "	22'-7 5/8 "	18'-4"	26'-6 7/8 "	20'-7 5/8 "	10	12	40612	55484
TCIA-2622-30-2	30	26'-9 1/8 "	22'-7 5/8 "	18'-4"	26'-6 7/8 "	20'-7 5/8 "	10	12	40612	55484
TCIA-2622-40-2	40	26'-9 1/8 "	22'-7 5/8 "	18'-10"	26'-6 7/8 "	20'-7 5/8 "	10	12	40612	55484
TCIA-2622-50-2	50	26'-9 1/8 "	22'-7 5/8 "	19'-4"	26'-6 7/8 "	20'-7 5/8 "	12	12	40612	55484
TCIA-2622-60-2	60	26'-9 1/8 "	22'-7 5/8 "	19'-10"	26'-6 7/8 "	20'-7 5/8 "	12	12	40612	55484

Model Number	HP/Cell	L	W	H	C	D	A diam	B diam	Dry Weight (lbs)	OP Weight (lbs)
TCIA-2622-75-2	75	26'-9 1/8 "	22'-7 5/8 "	20'-4"	26'-6 7/8 "	20'-7 5/8 "	12	12	40612	55484
TCIA-0412-1-3	1	4'-6 3/8 "	13'-6 1/8 "	12'-4"	4'-4 1/8 "	2'-6"	3	4	3408	4656
TCIA-0412-2-3	2	4'-6 3/8 "	13'-6 1/8 "	12'-4"	4'-4 1/8 "	2'-6"	3	4	3408	4656
TCIA-0412-3-3	3	4'-6 3/8 "	13'-6 1/8 "	12'-10"	4'-4 1/8 "	2'-6"	3	4	3408	4656
TCIA-0412-5-3	5	4'-6 3/8 "	13'-6 1/8 "	12'-10"	4'-4 1/8 "	2'-6"	3	4	3408	4656
TCIA-0618-10-3	10	6'-6 5/8 "	19'-6 7/8 "	12'-10"	6'-4 3/8 "	4'-6 1/4 "	6	6	7668	10476
TCIA-0618-3-3	3	6'-6 5/8 "	19'-6 7/8 "	13'-4"	6'-4 3/8 "	4'-6 1/4 "	6	6	7668	10476
TCIA-0618-5-3	5	6'-6 5/8 "	19'-6 7/8 "	13'-4"	6'-4 3/8 "	4'-6 1/4 "	6	6	7668	10476
TCIA-0618-7.5-3	7.5	6'-6 5/8 "	19'-6 7/8 "	13'-10"	6'-4 3/8 "	4'-6 1/4 "	6	6	7668	10476
TCIA-0818-10-3	10	8'-6 7/8 "	19'-6 7/8 "	13'-4"	8'-4 5/8 "	4'-6 1/4 "	8	8	10224	13968
TCIA-0818-15-3	15	8'-6 7/8 "	19'-6 7/8 "	13'-10"	8'-4 5/8 "	4'-6 1/4 "	8	8	10224	13968
TCIA-0818-5-3	5	8'-6 7/8 "	19'-6 7/8 "	13'-10"	8'-4 5/8 "	4'-6 1/4 "	8	8	10224	13968
TCIA-0818-7.5-3	7.5	8'-6 7/8 "	19'-6 7/8 "	14'-4"	8'-4 5/8 "	4'-6 1/4 "	8	8	10224	13968
TCIA-0824-10-3	10	8'-6 7/8 "	25'-7 5/8 "	13'-4"	8'-4 5/8 "	6'-6 1/2 "	8	8	13632	18624
TCIA-0824-15-3	15	8'-6 7/8 "	25'-7 5/8 "	13'-10"	8'-4 5/8 "	6'-6 1/2 "	8	8	13632	18624
TCIA-0824-20-3	20	8'-6 7/8 "	25'-7 5/8 "	13'-10"	8'-4 5/8 "	6'-6 1/2 "	8	8	13632	18624
TCIA-0824-5-3	5	8'-6 7/8 "	25'-7 5/8 "	14'-4"	8'-4 5/8 "	6'-6 1/2 "	8	8	13632	18624
TCIA-0824-7.5-3	7.5	8'-6 7/8 "	25'-7 5/8 "	14'-10"	8'-4 5/8 "	6'-6 1/2 "	8	8	13632	18624
TCIA-0830-10-3	10	8'-6 7/8 "	31'-8 3/8 "	13'-4"	8'-4 5/8 "	8'-6 3/4 "	8	8	17040	23280
TCIA-0830-15-3	15	8'-6 7/8 "	31'-8 3/8 "	13'-4"	8'-4 5/8 "	8'-6 3/4 "	8	8	17040	23280
TCIA-0830-20-3	20	8'-6 7/8 "	31'-8 3/8 "	13'-10"	8'-4 5/8 "	8'-6 3/4 "	8	8	17040	23280
TCIA-0830-25-3	25	8'-6 7/8 "	31'-8 3/8 "	14'-4"	8'-4 5/8 "	8'-6 3/4 "	8	8	17040	23280
TCIA-0830-5-3	5	8'-6 7/8 "	31'-8 3/8 "	14'-4"	8'-4 5/8 "	8'-6 3/4 "	8	8	17040	23280
TCIA-0830-7.5-3	7.5	8'-6 7/8 "	31'-8 3/8 "	14'-10"	8'-4 5/8 "	8'-6 3/4 "	8	8	17040	23280
TCIA-0836-10-3	10	8'-6 7/8 "	37'-9 1/8 "	13'-10"	8'-4 5/8 "	10'-7"	8	8	20448	27936
TCIA-0836-15-3	15	8'-6 7/8 "	37'-9 1/8 "	14'-4"	8'-4 5/8 "	10'-7"	8	8	20448	27936
TCIA-0836-20-3	20	8'-6 7/8 "	37'-9 1/8 "	14'-4"	8'-4 5/8 "	10'-7"	8	8	20448	27936
TCIA-0836-25-3	25	8'-6 7/8 "	37'-9 1/8 "	14'-10"	8'-4 5/8 "	10'-7"	8	8	20448	27936
TCIA-0836-30-3	30	8'-6 7/8 "	37'-9 1/8 "	14'-10"	8'-4 5/8 "	10'-7"	8	8	20448	27936
TCIA-0836-7.5-3	7.5	8'-6 7/8 "	37'-9 1/8 "	15'-4"	8'-4 5/8 "	10'-7"	8	8	20448	27936
TCIA-0842-10-3	10	8'-6 7/8 "	43'-9 7/8 "	14'-10"	8'-4 5/8 "	12'-7 1/4 "	8	8	23856	32592
TCIA-0842-15-3	15	8'-6 7/8 "	43'-9 7/8 "	15'-4"	8'-4 5/8 "	12'-7 1/4 "	8	8	23856	32592
TCIA-0842-20-3	20	8'-6 7/8 "	43'-9 7/8 "	15'-10"	8'-4 5/8 "	12'-7 1/4 "	8	8	23856	32592
TCIA-0842-25-3	25	8'-6 7/8 "	43'-9 7/8 "	15'-10"	8'-4 5/8 "	12'-7 1/4 "	8	8	23856	32592

Model Number	HP/Cell	L	W	H	C	D	A diam	B diam	Dry Weight (lbs)	OP Weight (lbs)
TCIA-0842-30-3	30	8'-6 7/8 "	43'-9 7/8 "	15'-10"	8'-4 5/8 "	12'-7 1/4 "	8	8	23856	32592
TCIA-1118-10-3	10	11'-7 1/4 "	19'-6 7/8 "	14'-4"	11'-5"	4'-6 1/4 "	8	8	14058	19206
TCIA-1118-15-3	15	11'-7 1/4 "	19'-6 7/8 "	14'-10"	11'-5"	4'-6 1/4 "	8	8	14058	19206
TCIA-1118-20-3	20	11'-7 1/4 "	19'-6 7/8 "	15'-4"	11'-5"	4'-6 1/4 "	8	8	14058	19206
TCIA-1118-5-3	5	11'-7 1/4 "	19'-6 7/8 "	15'-10"	11'-5"	4'-6 1/4 "	8	8	14058	19206
TCIA-1118-7.5-3	7.5	11'-7 1/4 "	19'-6 7/8 "	15'-10"	11'-5"	4'-6 1/4 "	8	8	14058	19206
TCIA-1124-10-3	10	11'-7 1/4 "	25'-7 5/8 "	13'-10"	11'-5"	6'-6 1/2 "	8	8	18744	25608
TCIA-1124-15-3	15	11'-7 1/4 "	25'-7 5/8 "	14'-4"	11'-5"	6'-6 1/2 "	8	8	18744	25608
TCIA-1124-20-3	20	11'-7 1/4 "	25'-7 5/8 "	14'-4"	11'-5"	6'-6 1/2 "	8	8	18744	25608
TCIA-1124-25-3	25	11'-7 1/4 "	25'-7 5/8 "	14'-10"	11'-5"	6'-6 1/2 "	8	8	18744	25608
TCIA-1124-5-3	5	11'-7 1/4 "	25'-7 5/8 "	14'-10"	11'-5"	6'-6 1/2 "	8	8	18744	25608
TCIA-1124-7.5-3	7.5	11'-7 1/4 "	25'-7 5/8 "	15'-4"	11'-5"	6'-6 1/2 "	8	8	18744	25608
TCIA-1130-10-3	10	11'-7 1/4 "	31'-8 3/8 "	14'-4"	11'-5"	8'-6 3/4 "	8	8	23430	32010
TCIA-1130-15-3	15	11'-7 1/4 "	31'-8 3/8 "	14'-4"	11'-5"	8'-6 3/4 "	8	8	23430	32010
TCIA-1130-20-3	20	11'-7 1/4 "	31'-8 3/8 "	14'-10"	11'-5"	8'-6 3/4 "	8	8	23430	32010
TCIA-1130-25-3	25	11'-7 1/4 "	31'-8 3/8 "	14'-10"	11'-5"	8'-6 3/4 "	8	8	23430	32010
TCIA-1130-30-3	30	11'-7 1/4 "	31'-8 3/8 "	15'-4"	11'-5"	8'-6 3/4 "	8	8	23430	32010
TCIA-1130-7.5-3	7.5	11'-7 1/4 "	31'-8 3/8 "	15'-10"	11'-5"	8'-6 3/4 "	8	8	23430	32010
TCIA-1136-10-3	10	11'-7 1/4 "	37'-9 1/8 "	14'-4"	11'-5"	10'-7"	8	10	28116	38412
TCIA-1136-15-3	15	11'-7 1/4 "	37'-9 1/8 "	14'-10"	11'-5"	10'-7"	8	10	28116	38412
TCIA-1136-20-3	20	11'-7 1/4 "	37'-9 1/8 "	14'-10"	11'-5"	10'-7"	8	10	28116	38412
TCIA-1136-25-3	25	11'-7 1/4 "	37'-9 1/8 "	15'-4"	11'-5"	10'-7"	8	10	28116	38412
TCIA-1136-30-3	30	11'-7 1/4 "	37'-9 1/8 "	15'-4"	11'-5"	10'-7"	8	10	28116	38412
TCIA-1136-40-3	40	11'-7 1/4 "	37'-9 1/8 "	15'-10"	11'-5"	10'-7"	8	10	28116	38412
TCIA-1142-15-3	15	11'-7 1/4 "	43'-9 7/8 "	14'-4"	11'-5"	12'-7 1/4 "	8	10	32802	44814
TCIA-1142-20-3	20	11'-7 1/4 "	43'-9 7/8 "	14'-10"	11'-5"	12'-7 1/4 "	8	10	32802	44814
TCIA-1142-25-3	25	11'-7 1/4 "	43'-9 7/8 "	14'-10"	11'-5"	12'-7 1/4 "	8	10	32802	44814
TCIA-1142-30-3	30	11'-7 1/4 "	43'-9 7/8 "	15'-4"	11'-5"	12'-7 1/4 "	8	10	32802	44814
TCIA-1142-40-3	40	11'-7 1/4 "	43'-9 7/8 "	15'-10"	11'-5"	12'-7 1/4 "	8	10	32802	44814
TCIA-1142-50-3	50	11'-7 1/4 "	43'-9 7/8 "	15'-10"	11'-5"	12'-7 1/4 "	8	10	32802	44814
TCIA-1148-15-3	15	11'-7 1/4 "	49'-10 5/8 "	15'-4"	11'-5"	14'-7 1/2 "	10	10	37488	51216
TCIA-1148-20-3	20	11'-7 1/4 "	49'-10 5/8 "	15'-10"	11'-5"	14'-7 1/2 "	10	10	37488	51216
TCIA-1148-25-3	25	11'-7 1/4 "	49'-10 5/8 "	15'-10"	11'-5"	14'-7 1/2 "	10	10	37488	51216
TCIA-1148-30-3	30	11'-7 1/4 "	49'-10 5/8 "	16'-4"	11'-5"	14'-7 1/2 "	10	10	37488	51216

Model Number	HP/Cell	L	W	H	C	D	A diam	B diam	Dry Weight (lbs)	OP Weight (lbs)
TCIA-1148-40-3	40	11'-7 1/4 "	49'-10 5/8 "	16'-4"	11'-5"	14'-7 1/2 "	10	10	37488	51216
TCIA-1148-50-3	50	11'-7 1/4 "	49'-10 5/8 "	16'-10"	11'-5"	14'-7 1/2 "	10	10	37488	51216
TCIA-1154-20-3	20	11'-7 1/4 "	55'-11 3/8 "	16'-10"	11'-5"	16'-7 3/4 "	10	12	42174	57618
TCIA-1154-25-3	25	11'-7 1/4 "	55'-11 3/8 "	16'-10"	11'-5"	16'-7 3/4 "	10	12	42174	57618
TCIA-1154-30-3	30	11'-7 1/4 "	55'-11 3/8 "	16'-10"	11'-5"	16'-7 3/4 "	10	12	42174	57618
TCIA-1154-40-3	40	11'-7 1/4 "	55'-11 3/8 "	17'-4"	11'-5"	16'-7 3/4 "	10	12	42174	57618
TCIA-1154-50-3	50	11'-7 1/4 "	55'-11 3/8 "	17'-10"	11'-5"	16'-7 3/4 "	10	12	42174	57618
TCIA-1154-60-3	60	11'-7 1/4 "	55'-11 3/8 "	17'-10"	11'-5"	16'-7 3/4 "	10	12	42174	57618
TCIA-1342-15-3	15	13'-7 1/2 "	43'-9 7/8 "	14'-10"	13'-5 1/4 "	12'-7 1/4 "	10	12	38766	52962
TCIA-1342-20-3	20	13'-7 1/2 "	43'-9 7/8 "	15'-4"	13'-5 1/4 "	12'-7 1/4 "	10	12	38766	52962
TCIA-1342-25-3	25	13'-7 1/2 "	43'-9 7/8 "	15'-10"	13'-5 1/4 "	12'-7 1/4 "	10	12	38766	52962
TCIA-1342-30-3	30	13'-7 1/2 "	43'-9 7/8 "	15'-10"	13'-5 1/4 "	12'-7 1/4 "	10	12	38766	52962
TCIA-1342-40-3	40	13'-7 1/2 "	43'-9 7/8 "	16'-4"	13'-5 1/4 "	12'-7 1/4 "	10	12	38766	52962
TCIA-1342-50-3	50	13'-7 1/2 "	43'-9 7/8 "	16'-4"	13'-5 1/4 "	12'-7 1/4 "	10	12	38766	52962
TCIA-1342-60-3	60	13'-7 1/2 "	43'-9 7/8 "	16'-10"	13'-5 1/4 "	12'-7 1/4 "	10	12	38766	52962
TCIA-1348-20-3	20	13'-7 1/2 "	49'-10 5/8 "	15'-4"	13'-5 1/4 "	14'-7 1/2 "	10	12	44304	60528
TCIA-1348-25-3	25	13'-7 1/2 "	49'-10 5/8 "	15'-4"	13'-5 1/4 "	14'-7 1/2 "	10	12	44304	60528
TCIA-1348-30-3	30	13'-7 1/2 "	49'-10 5/8 "	15'-10"	13'-5 1/4 "	14'-7 1/2 "	10	12	44304	60528
TCIA-1348-40-3	40	13'-7 1/2 "	49'-10 5/8 "	15'-10"	13'-5 1/4 "	14'-7 1/2 "	10	12	44304	60528
TCIA-1348-50-3	50	13'-7 1/2 "	49'-10 5/8 "	16'-4"	13'-5 1/4 "	14'-7 1/2 "	10	12	44304	60528
TCIA-1348-60-3	60	13'-7 1/2 "	49'-10 5/8 "	16'-10"	13'-5 1/4 "	14'-7 1/2 "	10	12	44304	60528
TCIA-1348-75-3	75	13'-7 1/2 "	49'-10 5/8 "	16'-10"	13'-5 1/4 "	14'-7 1/2 "	10	12	44304	60528
TCIA-1354-20-3	20	13'-7 1/2 "	55'-11 3/8 "	15'-10"	13'-5 1/4 "	16'-7 3/4 "	10	12	49842	68094
TCIA-1354-25-3	25	13'-7 1/2 "	55'-11 3/8 "	16'-4"	13'-5 1/4 "	16'-7 3/4 "	10	12	49842	68094
TCIA-1354-30-3	30	13'-7 1/2 "	55'-11 3/8 "	16'-4"	13'-5 1/4 "	16'-7 3/4 "	10	12	49842	68094
TCIA-1354-40-3	40	13'-7 1/2 "	55'-11 3/8 "	16'-10"	13'-5 1/4 "	16'-7 3/4 "	10	12	49842	68094
TCIA-1354-50-3	50	13'-7 1/2 "	55'-11 3/8 "	17'-4"	13'-5 1/4 "	16'-7 3/4 "	10	12	49842	68094
TCIA-1354-60-3	60	13'-7 1/2 "	55'-11 3/8 "	17'-4"	13'-5 1/4 "	16'-7 3/4 "	10	12	49842	68094
TCIA-1354-75-3	75	13'-7 1/2 "	55'-11 3/8 "	17'-10"	13'-5 1/4 "	16'-7 3/4 "	10	12	49842	68094
TCIA-1360-20-3	20	13'-7 1/2 "	62'-0 1/8 "	16'-10"	13'-5 1/4 "	18'-8"	10	12	55380	75660
TCIA-1360-25-3	25	13'-7 1/2 "	62'-0 1/8 "	16'-10"	13'-5 1/4 "	18'-8"	10	12	55380	75660
TCIA-1360-30-3	30	13'-7 1/2 "	62'-0 1/8 "	17'-4"	13'-5 1/4 "	18'-8"	10	12	55380	75660
TCIA-1360-40-3	40	13'-7 1/2 "	62'-0 1/8 "	17'-10"	13'-5 1/4 "	18'-8"	10	12	55380	75660
TCIA-1360-50-3	50	13'-7 1/2 "	62'-0 1/8 "	17'-10"	13'-5 1/4 "	18'-8"	10	12	55380	75660

Model Number	HP/Cell	L	W	H	C	D	A diam	B diam	Dry Weight (lbs)	OP Weight (lbs)
TCIA-1360-60-3	60	13'-7 1/2 "	62'-0 1/8 "	18'-4"	13'-5 1/4 "	18'-8"	10	12	55380	75660
TCIA-1360-75-3	75	13'-7 1/2 "	62'-0 1/8 "	18'-10"	13'-5 1/4 "	18'-8"	10	12	55380	75660
TCIA-1366-20-3	20	13'-7 1/2 "	68'-0 7/8 "	17'-10"	13'-5 1/4 "	20'-8 1/4 "	10	12	60918	83226
TCIA-1366-25-3	25	13'-7 1/2 "	68'-0 7/8 "	17'-10"	13'-5 1/4 "	20'-8 1/4 "	10	12	60918	83226
TCIA-1366-30-3	30	13'-7 1/2 "	68'-0 7/8 "	18'-4"	13'-5 1/4 "	20'-8 1/4 "	10	12	60918	83226
TCIA-1366-40-3	40	13'-7 1/2 "	68'-0 7/8 "	18'-4"	13'-5 1/4 "	20'-8 1/4 "	10	12	60918	83226
TCIA-1366-50-3	50	13'-7 1/2 "	68'-0 7/8 "	18'-10"	13'-5 1/4 "	20'-8 1/4 "	12	12	60918	83226
TCIA-1366-60-3	60	13'-7 1/2 "	68'-0 7/8 "	19'-4"	13'-5 1/4 "	20'-8 1/4 "	12	12	60918	83226
TCIA-1366-75-3	75	13'-7 1/2 "	68'-0 7/8 "	19'-4"	13'-5 1/4 "	20'-8 1/4 "	12	12	60918	83226